


INDIANA. IND N & W 2 P. M.



Surveyed by Edward W. Tupper & Augustus Stone 1805

The part surveyed — 20. 149. 36

22. 378. 51

Township N. II North, Range N. VIII west of the 7th Meridian

Description of the Quality of the land on the interior Sectional lines.

Between Sections	Quality, &c.	Between Sections	Quality, &c.	Between Sections	Quality, &c.
31.32	Good farming land. Timber Oak, Buck &c	33.36	Brushy land low	21.22	Bottom land
30.31	Second rate land Oak &c	25.36	Good bottom	13.24	Good bottom
32.33	Same Oak & Poplar &c	26.33	Wet land	11.12	Same
29.33	Same Same	25.26	Good bottom	1.12	Same
28.29	Same Oak land	27.28	Good farming land	1.2	Same
29.30	Same Same	22.27	Second rate land	10.11	Good level land. Timber Elm, Oak, Gum, Hardwood, &c
19.30	Same Same	21.28	Good farming land	2.11	Good land. Timber Oak, Poplar, Elm, Locust &c
19.20	Same Same	21.22	Low Wet land	9.10	Second rate Oak land
18.19	Same Same	15.22	Same	2.10	Same last 2 miles no timber
17.18	Same Same	15.16	Good farming land	11.14	Good level land. Timber Elm, Walnut &c
16.20	Same Same Rolling	16.17	Second rate Oak land	4.9	Second rate land. Timber Oak, Rolling
33.34	Same Same	9.16	Wet land	3.8	Good land
28.33	Good land. Timber Beech, Sugar tree &c	8.17	Second rate Oak land	2.3	Swampy land
20.21	Second rate Oak land	7.18	Second rate Oak land	1.5	Rolling Oak land
16.21	Good Rolling Same	7.8	Same Same	3.4	Same
17.20	Second rate Same	8.9	Good land		
34.35	Good land. Timber Birch, Sugar tree, Undergrowth, &c	10.15	Mostly Swamp		
27.34	Second rate land. Timber Oak &c	14.15	Swampy land last 2 miles Timber Oak & Swampy land		
26.27	Wet land Same. Maple &c	14.23	Good bottom		
23.24	Good land Hor. Oak Oak &c	13.24	Good land		
22.23	Swampy land	23.24	Good bottom		

Township 12 North, Range 18 West of 2^d Meridian

Interior Section corners described

Continued

Post	Beating tree	Acres	Corner	They bear	Quality	Section	Beating tree	Acres	Corner	They bear	Quality
A	W Oak	12	151	E	24	18-20	Hickory	18	142	W	33
	do	10	152	E	10	23-25	do	20	156	W	9
B	Hickory	14	343	W	58	28-29	do	20	167	E	60
	B. Oak	30	539	E	20	29-30	do	12	170	W	27
						18-20	do	30	183	W	15
							do	4	191	E	10
							do	12	198	E	32
							do	6	206	W	24
C	W Oak	18	561	E	11	33-34	do	24	187	E	48
	B. Oak	30	568	E	41	35-36	do	30	195	W	24
D	Post tree in barren land	10	512	S	49	37-38	do	30	203	W	30
	Hickory	15	525	W	3	39-40	do	30	211	W	30
E	Hickory	18	corner	tree		41-42	do	30	219	W	30
F	Hickory	18	corner	tree		43-44	do	30	227	W	30
G	Hickory	18	corner	tree		45-46	do	30	235	W	30
H	Hickory	18	corner	tree		47-48	do	30	243	W	30
I	Hickory	18	corner	tree		49-50	do	30	251	W	30
J	Hickory	18	corner	tree		51-52	do	30	259	W	30
K	Hickory	18	corner	tree		53-54	do	30	267	W	30
L	Hickory	18	corner	tree		55-56	do	30	275	W	30
M	Hickory	18	corner	tree		57-58	do	30	283	W	30
N	Hickory	18	corner	tree		59-60	do	30	291	W	30
O	Hickory	18	corner	tree		61-62	do	30	300	W	30
P	Hickory	18	corner	tree		63-64	do	30	308	W	30
Q	Hickory	18	corner	tree		65-66	do	30	316	W	30
R	Hickory	18	corner	tree		67-68	do	30	324	W	30
S	Hickory	18	corner	tree		69-70	do	30	332	W	30
T	Hickory	18	corner	tree		71-72	do	30	340	W	30
U	Hickory	18	corner	tree		73-74	do	30	348	W	30
V	Hickory	18	corner	tree		75-76	do	30	356	W	30
W	Hickory	18	corner	tree		77-78	do	30	364	W	30
X	Hickory	18	corner	tree		79-80	do	30	372	W	30
Y	Hickory	18	corner	tree		81-82	do	30	380	W	30

Corners on River in T 2 N. R 18 W. 2^d Mer.

Post	Beating tree	Acres	Corner	They bear	Quality
1	Hickory	12	323	E	27
2	Hickory	12	375	W	40
3	Hickory	12	323	E	27
4	Hickory	12	375	W	40
5	Hickory	12	323	E	27
6	Hickory	12	375	W	40
7	Hickory	12	323	E	27
8	Hickory	12	375	W	40
9	Hickory	12	323	E	27
10	Hickory	12	375	W	40
11	Hickory	12	323	E	27
12	Hickory	12	375	W	40
13	Hickory	12	323	E	27
14	Hickory	12	375	W	40
15	Hickory	12	323	E	27
16	Hickory	12	375	W	40
17	Hickory	12	323	E	27
18	Hickory	12	375	W	40
19	Hickory	12	323	E	27
20	Hickory	12	375	W	40
21	Hickory	12	323	E	27
22	Hickory	12	375	W	40
23	Hickory	12	323	E	27
24	Hickory	12	375	W	40
25	Hickory	12	323	E	27
26	Hickory	12	375	W	40
27	Hickory	12	323	E	27
28	Hickory	12	375	W	40
29	Hickory	12	323	E	27
30	Hickory	12	375	W	40
31	Hickory	12	323	E	27
32	Hickory	12	375	W	40
33	Hickory	12	323	E	27
34	Hickory	12	375	W	40
35	Hickory	12	323	E	27
36	Hickory	12	375	W	40
37	Hickory	12	323	E	27
38	Hickory	12	375	W	40
39	Hickory	12	323	E	27
40	Hickory	12	375	W	40

Quarter Section corners described

From & to	Beating tree	Acres	Corner	They bear	Quality
1 to 2	Hickory	10	185	E	26
2 to 3	Hickory	10	175	W	22
3 to 4	Hickory	10	150	E	61
4 to 5	Hickory	10	176	W	30
5 to 6	Hickory	10	152	E	60
6 to 7	Hickory	10	174	W	26
7 to 8	Hickory	10	154	E	29
8 to 9	Hickory	10	177	W	37
9 to 10	Hickory	10	158	E	18
10 to 11	Hickory	10	179	W	40
11 to 12	Hickory	10	159	E	14
12 to 13	Hickory	10	180	W	10
13 to 14	Hickory	10	160	E	24
14 to 15	Hickory	10	181	W	30
15 to 16	Hickory	10	161	E	11
16 to 17	Hickory	10	182	W	21
17 to 18	Hickory	10	162	E	40
18 to 19	Hickory	10	183	W	38
19 to 20	Hickory	10	163	E	28
20 to 21	Hickory	10	184	W	22
21 to 22	Hickory	10	164	E	32
22 to 23	Hickory	10	185	W	116
23 to 24	Hickory	10	165	E	85
24 to 25	Hickory	10	186	W	29
25 to 26	Hickory	10	166	E	68
26 to 27	Hickory	10	187	W	4
27 to 28	Hickory	10	167	E	6

HQ


5 Townships N^o 2 North, Range N^o 8 West 2^d Mer.
 Corners of Private Claims which are Corners of Fractional Sections, and Corners at the intersections of their lines with the Sectional lines.

Posts	Bearing True	Feet diam.	Corners they bear	Links dist.	Posts	Bearing True	Feet diam.	Corners they bear	Links dist.
1 Post					27 M. Oak		12	S 75 N 20	
2 Deep Ash		5	S 28 E 20		do		12	N 66 E 40	
Lugar		12	N 6 N 29 1/2		28 M. Oak		16	S 65 E 11 1/2	
3 Lugar		20	Corner		P. Oak		26	N 45 E 35	
4 Elm		12	Corner		29 Beech		13	N 78 N 20	
5 Elm		10	Corner		do		18	S 30 E 41	
6 No Post					30 M. Oak		18	S 3 E 30	
7 Ash		12	N 27 N 18		do		20	N 46 N 16	
8 B. Walnut		24	N 62 1/2 N 30		31 M. Oak		14	N 30 E 30	
Hickory		14	N 10 E 38		Gum		12	S 9 N 28 1/2	
9 Hickory		14	S 25 E 13		32 Beech		14	N 30 N 23	
do		16	S 22 E 13		33 Hickory		10	S 55 1/2 N 25	
10 Deep Ash		8	S 27 N 13		do		9	N 38 E 21 1/2	
Elm		8	N 13 E 41		34 Post				
11 M. Oak		26	S 36 N 30		35 Beech		10	N 45 N 40	
P. Oak		18	S 53 E 37		do		8	S 45 E 68	
12 Hickory		18	S 40 N 24		36 Gum		12	N 41 E 55 1/2	
do		14	S 3 N 17		do		12	S 41 N 12 1/2	
13 Hickory		14	S 17 N 20		37 Gum		12	S 15 E	
14 Hickory		12	N 11 E 33		38 Gum		20	N 74 E 45	
do		11	S 36 N 31		P. Oak		20	N 20 N 37	
15 M. Oak		14	N 37 N 38		39 M. Oak		12	S 39 N 22	
do		14	N 20 E 30		do		12	S 80 E 18 1/2	
16 near two M. Oaks					40 Corner in			Flash	
17 Ash		8	S 27 N 15		41 Beech		10	N 21 N 28	
M. Oak		14	N 20 E 38		Ash		10	S 10 E 52	
18 M. Oak		16	N 40 N 32		42 M. Beech		5	S 49 N 6 1/2	
do		12	S 20 N 30		Ash		5	N 23 N 12 1/2	
19 Post no bearing true					43 P. Oak		4	Corner	
20 Ash		6	N 28 N 20		44 M. Beech		5	N 73 N 12 1/2	
21 M. Oak		14	N 49 E 17		Doewood		10	N 65 E 23 1/2	
mulberry		15	S 29 N 20		45 No post				
22 M. Oak		14	S 37 N 15		46 Elm		6	Corner	
do		20	N 20 E 30		47 Beech		22	N 40 N 22	
23 M. Oak		6	S 27 N 20		Lugar		10	S 40 E 28	
P. Oak		8	S 15 E 31		48 Beech		8	N 27 N 33	
24 Ash?		14	Corner		do		12	S 27 N 41	
25 M. Ash		18	S 81 E 7		49 Beech		20	N 65 N 14	
do		22	N 32 N 67		do		19	N 61 E 29	
26 M. Oak		12	S 75 N 24		50 Beech		12	Corner	
do		12	N 66 E 44		51 Hickory		14	S 40 1/2 N 20	
					do		10	N 60 E 35	
					52 Beech		12	N 26 1/2 N 18	
					do		11	S 55 E 12	

7

Township N. II North, Range N. VIII West of 2. Mer.

7



40
41.00
37.96
40.
39.02
40.3

1701
174
1828
316.70
661.96

1672
20.6
418
12
351

143.95
10.5
123

57.50
87.50
73.40
10.5
320.1

320.60
74.60
344.60
452.94
51.41
81
157

Quantity inclusive of Private claims 15.467.92

John J. J. J.
John J. J. J.
John J. J. J.

Montour's Pond

Eagle Pond

Long Pond

School Land
Sec. 22
for Sols. 1897.

Scale 40 Chains to an Inch

Masters of Pond			Ponds			Ponds			Ponds		
Ponds	Courses	Ch. Lk.	Ponds	Courses	Ch. Lk.	Ponds	Courses	Ch. Lk.	Ponds	Courses	Ch. Lk.
Montrose Pond			N 75 W	2.00		N 21 W	3.10				
N 40 E	7.00		N 85 W	3.50		to Can. of Lake 15.22.23					
N 53 E	2.50		N 33 W	2.00							
N 41 E	3.00		N 84 W	8.00							
N 27 E	2.00		N 45 W	14.00		Long Pond					
N 61 E	3.00		N 18 W	7.50		N 64 W	12.00				
N 59 E	15.50		N 39 W	7.00		N 39 W	0.50				
N 55 E	3.50		N 35 W	3.50		N 11 W	2.50				
N 49 E	4.50		N 35 W	13.00		N 13 W	4.50				
N 83 E	10.00		N 4 W	8.50		N 10 E	4.50				
N 65 E	2.50		N 25 W	1.30		N 52 E	7.00				
N 70 E	2.67					N 84 E	5.50				
N 64 E	4.60					N 80 E	3.10				
N 34 E	4.00		N 37 E	4.00		N 77 E	13.50				
N 24 E	12.50		N 84 E	5.00		N 65 E	5.00				
N 77 E	3.00		N 51 E	7.00		N 12 E	4.00				
N 31 E	2.00		N 30 E	12.00		N 54 W	4.00				
N 10 W	7.00		N 16 W	7.00		N 74 W	2.00				
N 25 W	7.50		N 32 W	21.00		N 56 W	4.00				
N 11 W	11.00		N 26	4.50		N 81 W	6.50				
N 24 E	17.15		N 5 E	10.00		N 77 W	3.33				
N 27 E	4.50		N 37 W	4.50		N 65 W	8.00				
N 59 E	4.50		N 26	2.50		N 58 W	5.00				
N 83 E	2.50		N 35 W	17.00		N 35 W	8.00				
N 6 E	3.00		N 10 E	3.00		N 11 W	9.00				
N 52 E	3.50		N 35 W	3.50		N 18 E	19.00				
N 56 E	13.30		N 25 W	3.50		N 5 W	12.00				
N 85 E	10.50		N 55 W	9.00		N 26 W	7.00				
N 17 E	2.50		N 17 W	5.00		N 44 W	5.20				
N 2 E	3.00		N 50 W	3.50		N 5 E	6.34				
N 25 E	4.00		N 15 W	10.00		N 25 E	7.00				
N 29 E	1.18		N 2 W	2.00		N 49 E	7.50				
N 23 E	2.00		Pond between	10.65		N 66 E	9.00				
N 84 E	4.50		N 80 E	4.00		N 81 E	4.00				
N 64 E	9.50		East	2.00		N 85 E	7.00				
N 78 E	3.00		N 40 E	3.30		N 76 W	9.00				
N 24 E	2.00					N 30 W	3.00				
N 16 E	6.00		Eagle Pond from			N 10 E	7.00				
N 65 E	2.00		Can. of Lake 15.22.23			N 44 E	6.00				
N 22 E	3.00		N 25 W	5.50		N 83 E	5.00				
N 2 E	6.00		N 20 W	2.50		N 80 E	3.33				
N 22 E	3.00		N 15 W	5.50		N 76 E	9.50				
N 2 E	6.00		N 45 W	10.00		N 81 E	5.50				
N 47 E	8.50		N 19 W	6.50		N 64 E	4.00				
N 40 E	6.50		N 9 E	4.50		N 35 E	5.00				
N 56 E	11.50		N 24 E	4.00		N 5 E	3.50				
N 16 W	2.00		N 20 E	10.50		N 15 W	4.50				
N 73 W	2.50		N 25 W	5.00		N 5 W	2.33				
N 52 W	3.00		N 81 W	2.50		N 45 W	5.50				
N 39 W	8.00		N 44 W	2.50		N 26 W	5.50				
N 13 W	4.00		N 29 W	13.00		N 5 W	12.00				
N 62 W	3.00		N 45 W	3.00		N 11 E	5.00				
N 3 W	10.50		N 19 W	3.00		N 6 E	2.00				
N 82 W	5.00		N 1 E	4.50		N 10 E	6.50				
N 63 W	3.50		N 29 W	2.00		N 11 W	13.50				
N 23 W	5.00		South	8.50		N 17 W	4.50				
N 53 W	5.00		N 39 E	19.50		N 32 W	2.50				
N 2 W	4.50					N 26 W	5.50				
N 29 E	4.00		N 39 E	19.50		N 49 W	7.50				
N 40 E	1.50		N 39 E	6.00		N 75 W	5.50				
N 5 E	2.39		N 60 E	5.50		N 4 E	4.00				
N 28 E	5.50		N 69 E	8.50		N 20 E	6.00				
N 17 E	4.00		N 86 E	2.50		N 48 E	8.50				
N 49 E	11.00		N 37 E	3.00		N 70 E	10.00				
N 15 W	4.00		N 16 W	3.00		N 85 E	8.00				
N 34 W	5.50		N 51 W	15.00							
			N 32 W	6.00							

The above Map of Township N^o 2 North of Range N^o 8 W. 2^d.
Principal Meridian, Indiana is strictly conformable to the field notes
of the survey thereof on file in this Office, which have been examined and approved.
Surveyor General's Office,
Cincinnati, Jan'y 24th 1845. William Johnston, Sur^t Gen^l

END


Recd. with letter from J. C. Shoemaker Auditor of
dated March 12, 1872

T. 2 N. R. N^o 8 W. 2^d Mer.

Re-Survey.

INDIANA.
N & W 2 P. M.

157 1/2



Surveyed in 1843. by
Nath^l L. Spitts D.S.

Scale 40 Ch^s to an inch.

State of Indiana


Auditor of State's Office

Indianapolis February 12th 1872.

I hereby certify that the above is a true and correct copy of a plat on file in the above office, of part of Township 2 North, Range 8 West of 2^d princ. Meridian, Indiana.

John C. Shoemaker
Auditor

Det. R. S. W. 2nd. class. ✓




The foregoing subdivisions of fractional sections are
truly copied from the original plat in this office
Surveyor General's Office
Cincinnati Jan'y. 24. 1834.

M. T. Williams
Sur. Genl.

Comp'd

Township N.^o 24, Range N.^o 8 W, 2nd Mer.



The above Subdivisions are truly copied
from the Records in this Office.

Sur. Genl's Office
Cm. Sept. 25th 1835

W. H. J. Lyth Sur. Genl.

Encl.
W. H. J.

20. 46

1 to 15-8
" State Act 28 Sept 1836
See Sample

